

Collar Information								Grade Summary					
Hole_ID	Zone	Easting	Northing	Elevation	Depth	Azimuth	Dip	From (m)	To (m)	Int (m)	Au (g/t)	Ag (g/t)	High Au (ppb)
SN25-426	Certes	664023	5519190	999	479	37.22	-60.1				no significant assay		39
SN25-427	Certes	662427	5520517	1099	508.9	36.58	-45.1				no significant assay		2
SN25-428	Certes	662502	5520673	1076	565.84	37.04	-45.9				no significant assay		6
SN25-429	Corral	662101	5518084	1104	450.44	36.34	-44.9				no significant assay		108
SN25-430	Franz	652002	5525240	1318	362.24	27.61	-45.2				no significant assay		47
SN25-431	Franz	652109	5525340	1299	284	27.31	-44.8				no significant assay		88
SN25-432	South Zone	654847	5523750	1351	459.62	46.87	-45	134.00	138.00	4.00	1.88	9.79	5510
including								134.00	135.00	1.00	5.51	36.30	5510
and								147.52	147.74	0.22	1.52	23.60	1515
and								167.12	168.00	0.88	1.47	4.29	1470
and								173.00	198.96	25.96	2.97	42.66	28700
including								176.00	177.05	1.05	16.00	246.00	16000
including								194.90	198.96	4.06	11.06	151.66	28700
including								194.90	196.93	2.03	20.25	296.72	28700
and								203.00	206.00	3.00	1.68	5.08	1850
and								248.00	249.60	1.60	1.84	11.37	3190
and								328.00	330.06	2.06	1.22	3.02	1385
and								344.58	345.20	0.62	1.96	6.31	1955
and								361.32	363.24	1.92	2.16	13.76	2450
and								381.06	381.99	0.93	1.36	2.20	1355
and								421.00	422.94	1.94	3.11	28.09	4020
SN25-433	Lear	655080	5524551	1410	596.48	38.4	-45				no significant assay		111
SN25-434	N/A	655397	5523942	1346	447.72	58.71	-45.1				no significant assay		26
SN25-435	N/A	654032	5523284	1268	1069.76	43.82	-45.5				no significant assay		70
SN25-436	MIK	653271	5524130	1425	495.9	55.9	-45.3				no significant assay		65
SN25-437	Kirton	651563	5524057	1331	438	75.34	-45.1	136.10	136.70	0.60	0.30	0.42	304
SN25-438	Kirton	651561	5524057	1331	127.1	75.34	-89.8				no significant assay		85
SN25-439	Kirton	651677	5524261	1311	517.24	295.96	-45.5	179.13	180.85	1.72	0.32	0.6	318
SN25-440	Lear	654775	5524761	1457	498.96	54.49	-45.4				no significant assay		40
SN25-441	Portia	654345	5524630	1480	511.15	59.94	-44.8				no significant assay		230
SN25-442	South Zone	654987	5523718	1364	395.3	55.61	-55	92.04	98.00	5.96	0.38	1.16	1015
and								104.16	105.77	1.61	0.26	1.19	256
and								118.21	189.00	70.79	1.13	14.12	23600
including								172.22	180.27	8.05	6.18	89.74	23600
including								178.00	179.00	1.00	23.60	491.00	23600
and								195.00	200.25	5.25	1.16	15.32	5060
including								195.00	196.01	1.01	5.06	69.80	5060

new results